

Work Order ID 62260

September 23, 2010 1:24:57 PM

Page 1

Item ID: D350-604-041

Accept

Setup Start

Revision ID:

Stop

Item Name: Rear Locker Extender

Start Date: 9/23/10 Start Qty: 1.00

Cust Item ID:

Required Date: 10/08/10 Req'd Qty: 1.00

Customer:

Reference:

Approvals: Process Plan: CY Date: 10/9/23 Tooling:

Date:

QC: Date: SPC (Y/N):

Date:

Run Start

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
----------	--------------

D2273	D
-------	---

D350-604-041	A
--------------	---

DSI9470	A
---------	---

100

0.00



DC

DOCUMENT CONTROL

Memo

0.00

Document Control

Photocopy bluefile and create labels per PPP D350-604-041 CHG002

HJ for BG 10-10-18

110

0.00



Purchasing

PURCHASING

Memo

0.00

Purchasing

Issue P/O: 12638

Description: D350-604-041 Rear locker extender.

Supplier: Delastek.

Certification of Conformity and process sheet from Delastek is required.

4 x 2600-6 Camlock stud - Ship to Delastek B 115502CY 10/9/23 ①

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

*NOTE: Date & initial all entries

Work Order ID 62260

September 23, 2010 1:24:57 PM

Page 2

Item ID: D350-604-041

Accept

Setup Start

Revision ID:

Stop

Item Name: Rear Locker Extender

Start Date: 9/23/10 Start Qty: 1.00

Cust Item ID:

Required Date: 10/08/10 Req'd Qty: 1.00

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

120



Packaging

Receive & Inspect for Damage & Mat'l Certs
Packaging

0.00

Memo

0.00

Packaging

Ensure a copy of Certification of Conformity and process sheet from Delastek is attached.

10/14/10

130



QC

QC5- Inspect part completeness to step on W/O

0.00

Memo

0.00

Quality Control

Check hole locations to template. DT 8824 Check process sheet and audit.

*no cracks
or voids
found.**10/10/10*

140



Packaging

Pick Kit

0.00

Memo

0.00

Packaging

10/10/10

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 62260

September 23, 2010 1:24:57 PM

Page 3

Item ID: D350-604-041

Accept

Setup Start

Revision ID:

Stop

Item Name: Rear Locker Extender

Start Date: 9/23/10 Start Qty: 1.00

Cust Item ID:

Required Date: 10/08/10 Req'd Qty: 1.00

Customer:









Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150  QC Quality Control	QC4- 100% Inspect kits for completeness Memo	0.00 0.00				( 10/10/18
160  Packaging Packaging	Packaging Memo Identify and pack for shipping as per PPP D350-604-041 Location:  PPP Rev: 	0.00 0.00							 10/10/19
170  QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.00							 10/10/20 CZ10/10/19

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

September 23, 2010 1:24:57 PM

Page 1

Work Order ID: 62260



Parent Item: D350-604-041



Parent Item Name: Rear Locker Extender

Start Date: 9/23/10

Required Date: 10/08/10

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev: Q ☐ 03.12.01 ☐ Reformat ☐ KJ/RF ☐

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
2600-6 Camlock Stud		Purchased	No			110	Each	73.0000	4	4			

Location

Loc Qty

Loc Code

ST381

73

114238

4

114355

4

115502

35

115581

30

4 02/10/19/24

D2268



Decal

Manufactured No

140

Each

10.0000



1 10/10/10

Location

Loc Qty

Loc Code

ST010

10

60213

10

D2269



Decal

Manufactured No

140

Each

6.0000



1 B62244 10/10/10

Location

Loc Qty

Loc Code

ST010

6

60214

6

D350-604-041P



Rear Locker Extender

Purchased

No

120

Each

0.0000



1 10/10/10

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN	JB	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHECKED	<i>[Signature]</i>	APPROVED	DRAWING NO. D2273 REV. D SHEET 1 OF 1
DATE	02.04.01	TITLE	350 REAR LOCKER EXTENDER SCALE NTS
B	96.05.27	RE-DRAWN	
C	02.01.30	CLARIFY MATERIAL, LAYUP, AND TOOLING	
D	02.04.01	REMOVE EPOCAST, ADD SURFACE FINISH	


RELEASED
02.04.03



021019123
010:62260

NOTES:

- 1) LAMINATE PER DART QSI 006. LAMINATION SCHEDULE PER THIS DRAWING.
- 2) LAYUP USING DT8010 MOLD. WET LAYUP NO BAG/VACUUM.
- 3) TRIM & DRILL PER DT8020. OPEN HOLES TO $\phi 0.257$ (4 PLACES).
- 4) MATERIALS:
RESIN: DERAKANE 470-36/411/510A40
FIBRE: 9oz = 9.7 oz 7781 WEAVE "S" GLASS
18oz = 18.0 oz ROVING "E" GLASS.
- 5) CONSTRUCTION:
101-WHITE GLOSS GELCOAT # GEL 944W005.
102-9oz ALL OVER.
103-18oz ALL OVER.
104-18oz RE-INFORCE FRONT FLANGE EXTENDING 2" ON SIDES.
105-9oz ALL OVER.
106-PEEL PLY.
- 6) MATTE TO HOLD DOWN CORNERS AS REQUIRED.
- 7) FINISH THIS SURFACE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S.
- 8) ALL DIMENSIONS ARE IN INCHES.



SECTION A-A

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-604 REV. B

REF TCCA STC: SH90-4

REF FAA STC: SR00463NY

PURPOSE:

The 2600-4 Camloc Studs may be too short for some installations.

CHANGE:

The qty (4) 2600-4 Camloc Studs are replaced with longer 2600-6 Camloc Studs. It is acceptable to install either 2600-4 or 2600-6 Camloc Studs. The parts list of D350-604 Rev. B is amended as follows:

QTY -041	PART NUMBER	DESCRIPTION
X	D350-604-041	REAR CARGO COMPARTMENT EXTENDER ASS'Y


IS:

4	2600-6	CAMLOC STUD
---	--------	-------------

WAS:

4	2600-4	CAMLOC STUD
---	--------	-------------


CANADA DEPARTMENT OF TRANSPORT AIRCRAFT CERTIFICATION BRANCH DAO # 01-O-01
APPROVED BY:  D. SHEPHERD (DE # 02)
DATE: 09.07.01
CERT. NO.: SH90-4
ISSUE NO.: 3

A	NEW ISSUE, NCR 09-046	CP	09.07.01
REV.	DESCRIPTION	BY	DATE
DESIGN	92	DART AEROSPACE LTD	
DRAWN	97	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	NIA	DSI 9470	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		CAMLOC CHANGE	NTS
DATE	09.07.01	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



DESIGN BW	DRAWN BY UP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED S	DRAWING NO. D350-604-041	REV. A SHEET 1 OF 1
DATE 02.04.01		TITLE REAR LOCKER EXTENDER ASSEMBLY	SCALE NTS
A	02.04.01	NEW ISSUE	
A1	# RF 02.04.23	ADD D2728-1 DECAL + ORIENTATION NOTE REAR LOCKER EXTENDER (D2273)	

RELEASED
02.04.03



D350-604-041 REAR LOCKER EXTENDER

NOTE: DECALS TO BE ORIENTED TO MATCH 'UP' ORIENTATION OF RLE



Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Delastek inc.
2699 5e avenue
Local 14, Porte -A-
Grand-Mère, Québec G9T 5K7
Can ** Fax (819) 533-3494 **

PACKING SLIP CERTIFICATE OF COMPLIANCE

Invoice #	35282
Customer #	DART US

Telephone: (819) 533-5788
Warehouse: MAIN

Bill to:

DART AEROSPACE LTD
1270, Aberdeen Street
Hawksbury, Ontario K6A 1K7
Canada

Ship to:

DART AEROSPACE LTD
1270, Aberdeen Street
Hawksbury, Ontario K6A 1K7
Canada

Telephone: 613-632-5200
Contact: Linda Lacelle

Ship via		F.O.B.		Terms		Salesperson	
Puro Collect		Origin		Net 30 days USA		Claude Lessard, ext. 233	
Ship date	Order Date	Our PO #	Order by		Your PO #	GST/PST #	
14/10/2010	27/09/2010	15474	Chantal Lavoie		PO12638		
Order Qty	B.O. Qty	Current Ship.	Item #	Item Description			
1	0	1	DKC134-0003	Line #1 Rear Locker Extender D350-604-041P B62255 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D <u>No. série</u> <u>No. lot</u> B62255 28715			
1	0	1	DKC134-0003	Line #2 Rear Locker Extender D350-604-041P B62259 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D <u>No. série</u> <u>No. lot</u> B62259 28717			
1	0	1	DKC134-0003	Line #3 Rear Locker Extender D350-604-041P B62260 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D <u>No. série</u> <u>No. lot</u> B62260 29228			

It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.

Continued on next page

☐ Cust. ☐ Adm. ☐ Quality ☐ Ship.

Accepted by:

Quality department

AQ-357





Delastek inc.
2699 5e avenue
Local 14, Porte -A-
Grand-Mère, Québec G9T 5K7
Can ** Fax (819) 533-3494 **

PACKING SLIP CERTIFICATE OF COMPLIANCE

Invoice #	35282
Customer #	DART US

Telephone: (819) 533-5788
Warehouse: MAIN

Bill to:

DART AEROSPACE LTD
1270, Aberdeen Street
Hawksbury, Ontario K6A 1K7
Canada

Ship to:

DART AEROSPACE LTD
1270, Aberdeen Street
Hawksbury, Ontario K6A 1K7
Canada


Telephone: 613-632-5200
Contact: Linda Lacelle

Ship via		F.O.B.		Terms		Salesperson	
Puro Collect		Origin		Net 30 days USA		Claude Lessard, ext. 233	
Ship date	Order Date	Our PO #	Order by		Your PO #	GST/PST #	
14/10/2010	27/09/2010	15474	Chantal Lavoie		PO12638		
Order Qty	B.O. Qty	Current Ship.	Item #	Item Description			
1	0	1	DKC134-0003	LINE #4 Rear Locker Extender D350-604-041P B62261 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D <u>No. série</u> B62261			
				<u>No. lot</u> 28716			

It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.

☐ Cust. ☐ Adm. ☐ Quality ☐ Ship.

Accepted by:


Quality department AQ-357



Date: Lundi, 2010-09-27 13:00:35
Utilisateur: Pascal Carignan

Feuille de Procédé

Client	: DART US DART AEROSPACE LTD	Nom Dessin	: REAR LOCKER EXTENDER
Numéro Job	: 29228	Numéro Article	: DKC134-0003
Numéro Soumission	: 3482	Numéro Dessin	: D350-604-041 & D2273
Numéro B.A.	:	Projet Numéro	: DK-362
Cette fois	: 2010-09-27 No. B.V. :	Révision dessin	: A & D
Prsht Rev.	: NC	Matériel	: Derakane 470-36/411/510
Prem. fois	: - - Type :	Date Dûe	: 2010-10-04 Qté: 1 UdM: UNITE
Job précédente	: 28717		

Écrit par : _____
Véifié & Approuvé par : _____
Commentaires : N° de pièce Laminée Dart Aerospace: D2273
N° de pièce Assemblage Dart Aerospace: D350-604-041

Process Sheet Rév.: 01 Mise en page selon nouvelle forme.
Déplacer cette seq. 12 en avant de la seq. 6. Ajouter sablage dans
seq. Trimage.

B 6 2 2 6 0 ✓
P

Produit additionnel

Numéro Job:



# Séq.:	Machine ou Opération:	Description :
---------	-----------------------	---------------

1.0	AC0085	FREKOTE 3,78L 44-NC
-----	--------	---------------------

Commentair Qty.: 0.02 UNITE(s)/Unit Total : 0.02 UNITE(s)

2.0	PRÉPARATION	Préparation du moule
-----	-------------	----------------------



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Nettoyer le moule à l'aide d'un chiffon humide et sécher à l'air. Selon IF DKC134-0003-5.

Note: Afin que le frekote agisse pleinement, le moule doit être libre de toute
contamination, enlever tout contaminants à l'aide de Frekote PMC, PMC
Plus ou tout autre solvant afficace. Il est permit d'utiliser un abrasif (Doux)
afin d'enlever tout accumulation de résine sur le moule.

Appliquer 2 couches de Frekote 44-NC à l'aide du chiffon propre en laissant sécher pendant 15 minutes
entre les couches. Le séchage de la dernière couche doit être de 3 heures à température de la pièce avant
d'appliquer le Gel Coat.

Date: _____ Sceau: _____

3.0	AMB0350	Gel Coat Blanc N° Gel 944W005
-----	---------	-------------------------------

Commentair Qty.: 1.580 UNITE(s)/Unit Total : 1.580 UNITE(s)

Gel Coat Blanc N° Gel 944W005

N° de Lot: 1-28089-1

Date: Lundi, 2010-09-27 13:00:35
Utilisateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD
Numéro Job: 29228

Nom Dessin: REAR LOCKER EXTENDER
Numéro Article: DKC134-0003

Numéro Job:



Séq.: Machine ou Opération: Description :

9.0 AMB0212 Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 1.680 LITRE(s)/Unit Total: 1.680 LITRE(s)
Résine (411B7530) 411-350 promo. 75min N° de Lot: 1-28244-1

10.0 AMB0286 Catalyst N° DDM-9

Commentair Qty.: 0.0070 GALLON(s)/Unit Total: 0.0070 GALLON(s)
Catalyst N° DDM-9 N° de Lot: 1-22176-1

11.0 AMB0214 9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish

Commentair Qty.: 4.6 VERGE(s)/Unit Total: 4.6 VERGE(s)
9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish N° de Lot: 1-27985-1

12.0 AMB0213 WR1850 Roving 18oz. x 50"

Commentair Qty.: 1.140 KILOGRAMME(s)/Unit Total: 1.140 KILOGRAMME(s)
WR1850 Roving 18oz. x 50" N° de Lot: 1-22302-1

13.0 LAMINAGE Faire le laminage





Commentair Setup: 0.00Hrs/ Run: 3.5000Hrs Total Run: 3.5000Hrs

Selon IF 134-0003. S'assurer de ne pas trapper d'air entre les rangs.

Inscrire les informations suivantes:

Humidité: 40 % Température: 72 °F Heure: 1:45

Quantité: 1 Date: 1-10-10 Sceau:  

14.0 AMB0212 Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 0.150 LITRE(s)/Unit Total: 0.150 LITRE(s)
Résine (411B7530) 411-350 promo. 75min N° de Lot: 1-28244-1

15.0 AMB0286 Catalyst N° DDM-9


Commentair Qty.: 0.0070 GALLON(s)/Unit Total: 0.0070 GALLON(s)
Catalyst N° DDM-9 N° de Lot: 1-22176-1

16.0 FINITION Finition Générale



Commentair Setup: 0.00Hrs/ Run: 30.0000Min Total Run: 0.5000Hrs

Injecter les bulles d'air selon IF DKC134-0003-5.

Quantité: 1 Date: 4-10-10 Sceau: 

17.0 DÉMOULAGE Démoulage de la pièce



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run: 0.1667Hrs

Selon IF DKC134-0003-5.

Date: Lundi, 2010-09-27 13:00:35
tit'sateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD
Numéro Job: 29228

Nom Dessin: REAR LOCKER EXTENDER
Numéro Article: DKC134-0003

Numéro Job:



Séq.:

Machine ou Opération:

Description :

Faire le démoulage de la pièce en poussant de l'air à l'intérieur tout en faisant bien attention de ne pas l'endommager.

Quantité: 1 Date: 4-10-10 Sceau: 

18.0

TRIMAGE

Trimage



Commentair Setup: 0.00Hrs/ Run: 40.0000Min Total Run : 0.6667Hrs

Selon IF 134-0002.

Faire le sablage si nécessaire.

Quantité: 1 Date: 7-10-10 Sceau: 

19.0

AAC1021

Dupont Primer N° 7704S

Commentair Qty.: 0.3400 UNITE(s)/Unit Total : 0.3400 UNITE(s)

Dupont Primer N° 7704S N° de Lot: 1-28050-2

20.0

AAC1101

N° 7775S, Dupont Activator - Reducer Chromabase

Commentair Qty.: 0.0670 UNITE(s)/Unit Total : 0.0670 UNITE(s)

N° 7775S, Dupont Activator - Reducer Chromabase N° de Lot: 1-28382-1

21.0



PRIMER

Application primer



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Appliquer le primer selon IG 0008.

Quantité: 1 Date: 12-10-10 Sceau:  N° fiche de Mélange: 

22.0

AAC1607

Camlock Stud 2600-4 (or Monadnock 1126000-4)

Commentair Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)

Camlock Stud 2600-4 (or Monadnock 1126000-4) N° de Lot: 1-2869-1

23.0

AAC0682

Washer 2600-LW (1127700)

Commentair Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)

Washer 2600-LW (1127700) N° de Lot: 1-6687-1

24.0

ASSEMBLAGE

Assemblage mécanique



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Selon IF 134-0004.

Démasquer la pièce.

Assembler les quatre (4) Camlock Stud N° 2600-4 à l'aide des Lock Washer N° 2600-LW selon IG Pose de

Date: Lundi, 2010-09-27 13:00:35
Utilisateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD
Numéro Job: 29228

Nom Dessin: REAR LOCKER EXTENDER
Numéro Article: DKC134-0003

Numéro Job:



Séq.: Machine ou Opération: Description :

stud.

Quantité: 1 Date: 14/10/10 Sceau: 

25.0

IDENTIFICATION

Identification à encre indélébile



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Selon IF 134-0005 vers l'extérieur

Faire l'identification de la pièce:

N° de pièce D350-604-041

N° de Work Order: _____

Quantité: 1 Date: 14/10/10 Sceau: 

26.0


INSPEC FINAL

Inspection finale



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'inspection dimensionnelle et visuelle de la pièce selon le dessin.

Quantité: 1 Date: 14-10-10 Sceau: 

27.0



EMBALLAGE

Emballage & Entreposage



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'emballage selon IG 0057.

Quantité: ~~14-10-10~~ Date: ~~14-10-10~~ Sceau:  9/5-14-10-10 

EMB 14-10-10

ML